

REV.	ECN NO.	CONTENT	DATE	ENGINEER
A0		Initial release	/	SGF

NOTE:

一. 材质及电镀方式 (MATERIAL AND FINISH)



1. 塑胶 (HOUSING): LCP, UL 94V-0, COLOR: WHITE
2. 端子 (CONTACT): COPPER ALLOY, GOLD FLASH PLATING ON CONTACT AREA, GOLD FLASH PLATING ON SOLDER TAILS, 50u" NICKEL UNDER PLATING OVER ALL
3. 铁壳 (SHELL): SUS304-3/4H, 40u" NICKEL UNDER PLATING OVER ALL

二. 机械特性 (MECHANICAL CHARACTERISTICS)


1. 插入力 (Insertion Force): 2.0Kgf Max
2. 拔出力 (Withdrawal Force): 0.1Kgf Min
3. 耐久性 (Durability): 5000次

三. 电气特性

1. 额定电流 (Current rating): 1.0A AC/DC
2. 接触电阻 (Contact resistance): 100mΩ MAX
3. 绝缘电阻 (Insulation resistance): 500MΩ MIN
4. 适用温度 (Operating temperature): -20℃~65℃



TF CARD PIN ASSIGNMENT		SIM pin assignment	
PIN NO.	PIN ASSIGNMENT		Name
T1	DAT2	C1	VCC
T2	CD/DAT3 ²	C2	RST
T3	CMD	C3	CLK
T4	VDD	C4	Reserved
T5	CLK	C5	GND
T6	VSS	C6	VPP
T7	DAT0	C7	I/O
T8	DAT1	C8	Reserved



THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co., Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION.

PDWG.NO: 0390-1





APPD. JM_Zheng
CHKD. LYX
DR. SGF

NAME: (MICRO SIM+TF) H2.25 二合一卡座
P.J. NO.: 142-407-160001-S4G
SIZE: A4 | DRW NO.:

FINISH: SEE NOTES | MAT'L.: SEE NOTES
SCALE: N/A | REV.: A0 | UNIT: mm | PAGE: 1/2

深圳市步步精科技有限公司

REV.	ECN NO	CONTENT	DATE	ENGINEER
A0		Initial release	/	SGF



备注:

1. 包装数量: 1000 cs/盘, 10盘/箱或15盘/箱
2. 包装带长度: 每盘前后各空10-20个空格, 中间包装.
3. 材质:
载体: 聚丙烯(PS), 抗阻 $10^{6-9} \Omega$
上带: 聚乙烯(PET), 抗阻 $10^{6-11} \Omega$
卷盘: 聚苯乙烯.

纸箱规格: 345*345*23mm

纸箱规格: 345*345*35mm

THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co.,Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION.		深圳市步步精科技有限公司 .X: ±0.38 .X': ±3' .XX: ±0.25 .X': ±2' .XXX: ±0.13 .XX': ±1'		NAME: (MICRO SIM+TF) H2.25 二合一卡座	
APPD.	JM_Zheng	PJ. NO.: 142-407-160001-S4G		SIZE: A4 DRW NO.:	
CHKD.	LYX	FINISH: SEE NOTES		MAT'L.: SEE NOTES	
PDWG.NO:	0390-1	DR.	SGF	SCALE: N/A	REV.: A0 UNIT: mm PAGE: 2/2