




REV.	DESCRIPTION	NAME	DATE
A	NEWS ISSUE		



USB TYPE-C PIN ASSIGNMENTS


PIN NUMBER	SIGNAL NAME	PIN NUMBER	SIGNAL NAME
A1	GND	B12	GND
A2	SSTXp1	B11	SSRXp1
A3	SSTXn1	B10	SSRXn1
A4	VBUS	B9	VBUS
A5	CC1	B8	SBU2
A6	Dp1	B7	Dn2
A7	Dn1	B6	Dp2
A8	SBU1	B5	CC2
A9	VBUS	B4	VBUS
A10	SSRXn2	B3	SSTXn2
A11	SSRXp2	B2	SSTXp2
A12	GND	B1	GND

RECOMMENDED PCB LAYOUT(TOP VIEW)
THICKNESS 0.60MM;DEFAULT TOLERANCE:±0.05




TOLERANCE UNSPECIFIED		深圳市步步精科技有限公司		
.0	±0.35			
.00	±0.25			
.000	±0.15			
X.°	±2.00°			
CUSTOMER DRAWING		TITLE: TYPE-C 24P 母座 四脚插 沉板0.80 L=7.90 CH=0.78 双排SMT		
DRAWN/ DATE	设计 TSP	SIZE:A4	UNIT:MM.	PART.NO: UC.01.32-1H-0002
CHECKED/ DATE	审核 LYX	SCALE: 1:1	PROJECTION	REV.: 版本
APPROVED/ DATE	核准 LJP	DWG. PATH	0398-1	SHEET: 页码

REV.	DESCRIPTION	NAME	DATE
A	NEWS ISSUE		



SEE DETAIL X



PAPER BOARD

REEL AND TAPE

REEL AND TAPE

PAPER BOARD

FOLDER
PAPER BOARD



CARTON

REEL OFF
DIRECTION

PULL OUT
DIRECTION

	REEL	CARTON
CONNECTOR (PCS)	900	9000



TOLERANCE UNSPECIFIED

.0	± 0.35
.00	± 0.25
.000	± 0.15
X. °	$\pm 2.00^{\circ}$
CUSTOMER DRAWING	

深圳市步步精科技有限公司

TITLE:
TYPE-C 24P 母座 四脚插 沉板0.80 L=7.90 CH=0.78 双排SMT

DRAWN/ DATE	设计 TSP	SIZE:A4	UNIT:MM.	PART. NO: UC.01.32-1H-0002	
CHECKED/ DATE	审核 LYX	SCALE: 1:1	PROJECTION	REV.: 版本	
APPROVED/ DATE	核准 LJP	DWG. PATH	0398-1	SHEET: 页码	