


NOTES:



SPECIFICATION:

1. CURRENT RATING: 2.0A MAX
2. VOLTAGE: 100 VAC
3. TEMPERATURE RANGE: $-30^{\circ}\text{C} \sim 85^{\circ}\text{C}$
4. CONTACT RESISTANCE: 40 MILLIONHM MAX
5. INSULATION RESISTANCE: 100 MEGOHMS MIN.
6. LNSERTION FORCE : $5\text{N} \sim 20\text{N}$
7. UNMATING FORCE: $8\text{N} \sim 20\text{N}$
8. DURABILITY: 10,000 CYCLES











5	LIM	SILICON RUBBER		1PCS
4	MIM-SHELL	MIM-17-4PH+LIM	Ni Plated	1PCS
3	PLATE	STAINLESS STEEL	-----	1SET
2	CONTACT	COPPER ALLOY	Au/Ni Plated	1SET
1	HOUSING	HIGH TEMPERATURE PLASTIC	BLACK	1PCS
NO.	DESCRIPTION	MATERIAL	REMARKS	QTY


THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co.,Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION.		深圳市步步精科技有限公司		NAME: Micro 7P 防水母座 90度 L=7.30 四脚插 无柱 带锁孔 端子SMT 平口 不锈钢外壳 亮锡 IPX7 带防水圈 (05-S7-A)
APPD.	JM_Zheng	23/05/02	PJ. NO.: MC.01.A2-21-J002	
CHKD.	LYX	23/05/02	SIZE: A4 DRW NO.:	
DR.	SGF	23/05/02	FINISH: SEE NOTES	MAT'L.: SEE NOTES
PDWG.NO: 0523-1		SCALE: N/A	REV.: A3	UNIT: mm
		PAGE: 1/1		



REV.	ECN NO	CONTENT	DATE	ENGINEER
A0			2023 20/04	



THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co.,Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION.				深圳市步步精科技有限公司			
.X: ±0.38 .XX: ±0.25 .XXX: ±0.13		X*: ±3" .X*: ±2" .XX*: ±1"		NAME: Micro 7P 防水母座 90度 L=7.30 四脚插 无柱 带锁孔 端子SMT 平口 不锈钢外壳 亮锡 IPX7 带防水圈 (05-S7-A)			
APPD.		JM_Zheng 23/05'02		PJ. NO.: MC.01.A2-21-J002			
CHKD.		LYX 23/05'02		SIZE: A4 DRW NO.:			
PDWG.NO: 0523-1		DR. SGF 23/05'02		FINISH: SEE NOTES MAT'L.: SEE NOTES			
				SCALE: N/A REV.: A3 UNIT: mm PAGE: 1/1			



备注:

1. 包装数量: 1000 / PCS / 卷, 10 卷 / 箱或 15 卷 / 箱。
2. 包装袋长度: 每卷前后各空 10-20 个空格, 中间包装。
3. 材质:
载体: 聚丙烯 (PS), 阻抗 $10^{6-9} \Omega$
上带: 聚乙烯 (PET), 阻抗 $10^{6-11} \Omega$
卷盘: 聚苯乙烯。

纸箱规格: 345*345*23MM
纸箱规格: 345*345*35MM



THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co.,Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION. PDWG.NO: 0523-1		深圳市步步精科技有限公司				
		NAME: Micro 7P 防水母座 90度 L=7.30 四脚插 无柱 带锁孔 端子SMT 平口 不锈钢外壳 亮锡 IPX7 带防水圈 (05-S7-A)				
	.X: ±0.38 .XX: ±0.25 .XXX: ±0.13		.X*: ±3* .X*: ±2* .XX*: ±1*			
	APPD.	JM_Zheng	23/05'02			
	CHKD.	LYX	23/05'02	PJ. NO.: MC.01.A2-21-J002		
			SIZE: A4		DRW NO.:	
			FINISH: SEE NOTES		MAT'L.: SEE NOTES	
		SCALE: N/A		REV.: A3	UNIT: mm	PAGE: 1/1