


REV.	ECN NO.	CONTENT	DATE	ENGINEER
A0		Initial release	/	SGF




NOTE:

- MATERIAL:
HOUSING: HIGH TEMPERATURE PLASTIC UL94V-0
COLOR:BLACK
CONTACT: COPPER ALLOY
SHELL: SUS304
- PLATING :
TERMINAL:
CONTACT AREA: GOLD FLASH.
SOLDER AREA: MATTE TIN PLATED.
UNDER PLATE: NICKEL.
SHELL: NICKEL PLATED OVER ALL.
SOLDER AREA: GOLD FLASH.
- PART MUST COMPLY ROHS SPECIFICATION




THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co.,Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION.		PDWG.NO: 0302-1		深圳市步步精科技有限公司 NAME: 卡座 SD PUSH 板上内焊 PJ. NO.: 142-324-090001-X8G SIZE: A4 DRW NO.: FINISH: SEE NOTES MAT'L.: SEE NOTES SCALE: N/A REV.: A0 UNIT: mm PAGE: 1/3	
.X: ±0.38	.XX: ±0.25	.XXX: ±0.13	X': ±3"	.X': ±2"	.XX': ±1"
APPD.	JM_Zheng	CHKD.	LYX	DR.	SGF

REV.	ECN NO	CONTENT	DATE	ENGINEER
A0		Initial release	/	SGF




P.C.B LAYOUT




SD CARD PIN DESIGN			
PIN NO.	NAME	TYPE	DESCRIPTION
#1	CD/DAT3	I/O/PP	CARD DETECT/DATA LINE(BIT3)
#2	CMD	PP	COMMAND/RESPONSE
#3	VSS1	S	SUPPLY VOLTAGE GROUND
#4	VDD	S	SUPPLY VOLTAGE
#5	CLK	I	CLOCK
#6	VSS2	S	SUPPLY VOLTAGE GROUND
#7	DAT0	I/O/PP	DATA LINE(BIT 0)
#8	DAT1	I/O/PP	DATA LINE(BIT 1)
#9	DAT2	I/O/PP	DATA LINE(BIT 2)




CIRCUIT



WITHOUT CARD



CARD INSERTED WRITE PROJECT:LOCK



CARD INSERTED WRITE PROJECT:UNLOCK


THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co.,Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION.
PDWG.NO: 0302-1

深圳市步步精科技有限公司


NAME: 卡座 SD PUSH 板上内焊	PJ. NO.: 142-324-090001-X8G
APPD. JM_Zheng	SIZE: A4 DRW NO.:
CHKD. LYX	FINISH: SEE NOTES MAT'L.: SEE NOTES
DR. SGF	SCALE: N/A REV.: A0 UNIT: mm PAGE: 2/3

REV.	ECN NO	CONTENT	DATE	ENGINEER
A0		Initial release	/	SGF

客户拉出方向




客户拉出方向





NOTES

1. 每卷包装数量:350PCS/每卷
2. 卷带包装方式:



3. 每箱包装数量:2100PCS/箱



THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co.,Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION.		深圳市步步精科技有限公司	
PDWG.NO: 0302-1	DR. SGF	.X: ±0.38 .XX: ±0.25 .XXX: ±0.13	X': ±3" .X': ±2" .XX': ±1"
APPD. JM_Zheng	CHKD. LYX	NAME: 卡座 SD PUSH 板上内焊	PJ. NO.: 142-324-090001-X8G
		FINISH: SEE NOTES	MAT'L.: SEE NOTES
		SCALE: N/A	REV.: A0 UNIT: mm PAGE: 3/3