





	PIN No.	FUNCTION		
		SD MODE	UHS II MODE	MMC MODE
No. 1	#9	DATA2	-	-
No. 2	#1	CD/DAT3	-	RSV
No. 3	#2	CMD	-	CMD
No. 4	#3	-	VSS1	VSS1
No. 5	#4	VDD	VDD1	VDD
No. 6	#5	CLK	-	CLK
No. 7	#6	-	CARD DETECT	-
No. 8	#7	-	VSS2	VSS2
No. 9	#8	DAT0	RCLK+	DAT
No. 10	#9	DAT1	RCLK-	-
No. 11	#10	WRITE PROTECT	-	-
No. 12	#11	-	VSS3	-
No. 13	#12	-	D0+	-
No. 14	#13	-	D0-	-
No. 15	#14	-	VSS4	-
No. 16	#15	-	VDD2	-
No. 17	#16	-	D1+	-
No. 18	#17	-	D1-	-
No. 19	#18	-	VSS5	-

Circuit Diagram for Detect SW



THIS DOCUMENT IS THE SOLE PROPERTY OF BbJconn Technology Co., Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION.

PDWG.NO: 0302-1

深圳市步步精科技有限公司

NAME: 卡座 SD4.0 No Push H=2.95 9Pin+CD+Wp 贴片 带柱 (102313272)

PJ. NO.: 142-319-090001-V8G

SIZE: A4 DRW NO.:

FINISH: SEE NOTES MAT'L.: SEE NOTES

SCALE: N/A REV.: A0 UNIT: mm PAGE: 1/3

APPD. JM_Zheng

CHKD. LYX

DR. TSP

1-1. PLASTIC: LCP, THERMOPLASTIC UL 94V-0 COLOR: BLACK
1-2. CONTACT: COPPER ALLOY
1-3. SELL: STAINLESS STEEL


2-1. CONTACT: CONTACT AREA AU 30U" MIN.
SOLDER TAIL AREA: PLATING AU 1U" MIN, OVER NI .
2-2. SHELL: SOLDERABILITY AU 1U" MIN PLATING OVER ALL.

(4) RECOMMENDING A METAL MORE THAN 0.15mm THICK.

(5) insertion and extraction force:0.7~3.0Kg.

(6) Mylar has no backing at the opening.


(c) *Myra* has no showing in the opening.




RECOMMEENDED P. C. B LAYOUT

 深圳市步步精科技有限公司	
.X: ± 0.38 .XX: ± 0.25 .XXX: ± 0.13	.X': $\pm 3^{\circ}$.X'': $\pm 2^{\circ}$.XX': $\pm 1^{\circ}$
NAME: 卡座 SD4.0 No Push H=2.95 9Pin+CD+Wp 贴片 带柱 (102313272)	
APPD.	JM_Zheng
CHKD.	LYX
DR.	TSP



客户拉出方向



客户拉出方向




纸箱底部和顶部各垫一块保利龙



NOTES

- 每卷包装数量:450PCS/每卷
- 卷带包装方式:



- 每箱包装数量:3600PCS/箱



THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co.,Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION.		深圳市步步精科技有限公司		NAME: 卡座 SD4.0 No Push H=2.95 9Pin+CD+Wp 贴片 带柱 (102313272)	
.X: ±0.38 .XX: ±0.25 .XXX: ±0.13		X*: ±3* .X*: ±2* .XX*: ±1*		PJ. NO.: 142-319-090001-V8G	
APPD. JM_Zheng		CHKD. LYX		SIZE: A4 DRW NO.:	
PDWG.NO: 0302-1		DR. TSP		FINISH: SEE NOTES MAT'L.: SEE NOTES	
				SCALE: N/A REV.: A0 UNIT: mm PAGE: 3/3	