









RECOMMENDED P.C.B HOLE LAYOUT  
COMPONENT SIDE VIEW(TOLERANCE: +/-0.05)



NOTES:

1. MATERIAL:  
HOUSING: LCP, BK, UL 94V-0  
SHELL: SPCC/BRASS C2680  
TERMINAL: BRASS C2680
2. CONTACT PLATING:  
50u" Min NICKEL UNDERPLATING OVER ALL  
GOLD FLASH PLATING AT CONTACT AREA  
80u" Min TIN AT SOLDERING AREA  
SHELL PLATING: NICKEL 50u" Min
3. ELECTRICAL:  
INSULATION RESISTANCE: 100MΩ MIN  
CONTACT RESISTANCE: 30mΩ MAX  
DIELECTRIC WITHSTAND: 500 VAC FOR 1Min  
CURRENT RATING: 0.5A  
VOLTAGE RATING: 40V
4. MECHANICAL:  
INSERTION FORCE: 4.5 KGF MAX  
WITHDRAWAL FORCE: 1.0~4.0 KGF
5. DURABILITY: 10000 CYCLES
6. TEMPERATURE RANGE: -55°C to +105°C




|                                                                                                                                                                               |  |                                                                   |  |                                                                                                                                   |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------|--|
| THIS DOCUMENT IS THE<br>SOLE PROPERTY OF<br>BBJconn Technology Co., Ltd.<br>Corporation AND SHOULD<br>NOT BE USED IN WHOLE<br>OR IN PART WITHOUT<br>PRIOR WRITTEN PERMISSION. |  | 深圳市步步精科技有限公司                                                      |  | NAME: HDMI 19P 2.1版 A型 母座 L=11.60 板上四脚插<br>平口 铁壳 无凸点 脚长1.50 端子SMT 端子镀金G-F                                                         |  |
| PDWG.NO: 0100-2                                                                                                                                                               |  | .X: ±0.38 .X*: ±3"<br>.XX: ±0.25 .X*: ±2"<br>.XXX: ±0.13 .X*: ±1" |  | APPD. JM_Zheng<br>CHKD. LYX<br>DR. TSP                                                                                            |  |
|                                                                                                                                                                               |  |                                                                   |  | PJ. NO.: 124-221-190006-V2G<br>SIZE: A4 DRW NO.:<br>FINISH: SEE NOTES MAT'L.: SEE NOTES<br>SCALE: N/A REV.: A0 UNIT: mm PAGE: 1/3 |  |


| REV. | ECN NO | CONTENT | DATE | ENGINEER |
|------|--------|---------|------|----------|
| A0   |        |         |      |          |

外壳脚规格:

| 规格 | DIM A | DIM B | 外壳脚凸点 |
|----|-------|-------|-------|
| 1  | 2.16  | 1.66  | 无凸点   |
| 2  | 2.16  | 1.66  | 有凸点   |
| 3  | 1.50  | 1.50  | 无凸点   |
| 4  | 2.20  | 2.20  | 无凸点   |
| 5  | 1.50  | 1.50  | 有凸点   |





脚有凸点




脚无凸点




|                                                                                                                                                                                                     |                                                                                       |          |                                                                                       |          |                              |           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------|----------|------------------------------|-----------|
| THIS DOCUMENT IS THE<br>SOLE PROPERTY OF<br>BBJconn Technology Co.,Ltd.<br>Corporation AND SHOULD<br>NOT BE USED IN WHOLE<br>OR IN PART WITHOUT<br>PRIOR WRITTEN PERMISSION.<br><br>PDWG,NO: 0100-2 |  |          | 深圳市步步精科技有限公司                                                                          |          |                              |           |
|                                                                                                                                                                                                     | .X: ±0.38 .X': ±3°<br>.XX: ±0.25 .X': ±2°<br>.XXX: ±0.13 .XX': ±1°                    |          | NAME:HDMI 19P 2.1版 A型 母座 L=11.60 板上四脚插<br>平口 铁壳 无凸点 脚长1.50 端子SMT 端子镀金G-F              |          |                              |           |
|                                                                                                                                                                                                     | APPD.                                                                                 | JM_Zheng |  |          | P.J. NO.: 124-221-190006-V2G |           |
|                                                                                                                                                                                                     | CHKD.                                                                                 | LYX      |                                                                                       |          | SIZE: A4   DRW NO.:          |           |
|                                                                                                                                                                                                     | DR.                                                                                   | TSP      | FINISH: SEE NOTES                                                                     |          | MAT'L.: SEE NOTES            |           |
|                                                                                                                                                                                                     |                                                                                       |          | SCALE: N/A                                                                            | REV.: A0 | UNIT: mm                     | PAGE: 2/3 |



NO. 1




NO. 2



纸箱规格: 33\*33\*30.5cm

NO. 4



NO. 3



1. 包装要求:

- 1.1 每卷包装500pcs, 卷带前后各空出5pcs位置;
- 1.2 每10盘放一箱, 共计5kset;
- 1.3 纸箱外贴上标签

备注:

1. 若有未装满之零数, 必须用泡棉塞满。
2. 针对于包装方式可根据客户要求包装。

|                                                                                                                                                            |            |                |          |                                                                       |          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------|----------|-----------------------------------------------------------------------|----------|
| THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co.,Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION. |            | 深圳市步步精科技有限公司   |          | NAME:HDMI 19P 2.1版 A型 母座 L=11.60 板上四脚插 平口 铁壳 无凸点 脚长1.50 端子SMT 端子镀金G-F |          |
| .X: ±0.38                                                                                                                                                  | .XX: ±0.25 | .X*: ±3"       | .X*: ±2" | PJ. NO.: 124-221-190006-V2G                                           |          |
| .XXX: ±0.13                                                                                                                                                | .XX*: ±1"  | APPD. JM_Zheng |          | SIZE: A4 DRW NO.:                                                     |          |
| CHKD. LYX                                                                                                                                                  |            | DR. TSP        |          | FINISH: SEE NOTES MAT'L.: SEE NOTES                                   |          |
| PDWG.NO: 0100-2                                                                                                                                            |            | SCALE: N/A     |          | REV.: A0                                                              | UNIT: mm |
|                                                                                                                                                            |            |                |          | PAGE: 3/3                                                             |          |